


Know Your Type: What your EF number means



Heart with reduced Ejection Fraction



EJECTION FRACTION IS

Amount of blood
pumped out

Total amount of blood
in chamber
(Measured as a percentage)

**NORMAL IS NEVER 100% AND
IS MORE LIKELY 50-70%**

The Ejection Fraction (EF) is the amount of blood pumped out of the left ventricle in one beat. Your doctor or nurse, with other measurements, will use your Ejection Fraction to measure the efficiency of your heart as a pump, in relation to your clinical circumstances.

THE 10 PILLARS TO IMPROVING YOUR HEART AND OVERALL HEALTH FOR THOSE WITH HEART FAILURE WITH REDUCED EJECTION FRACTION (HFrEF)

Focussing on the 10 pillars of care for Heart Failure with reduced Ejection Fraction

Those Diagnosed with a Reduced Ejection Fraction

Improved Ejection Fraction - baseline Ejection Fraction less than 40%, and follow-up scan shows a more than 10 point increase of ejection fraction to more than 40%

Mildly Reduced - Ejection Fraction called HFmrEF 41–49% is pumped out during each heartbeat


REDUCED Ejection Fraction called HFrEF less than 40% is pumped out during each heartbeat



UNDERPINNED BY A PATIENT-FRIENDLY CARE PLAN AND EDUCATION ENABLING SELF-MANAGEMENT

*MDT team as a minimum needs to include lead Doctor with a subspecialty in Heart Failure, Heart Failure Nurse and a GP

Heart with preserved Ejection Fraction



EJECTION FRACTION IS

Amount of blood
pumped out

Total amount of blood
in chamber
(Measured as a percentage)

**NORMAL IS NEVER 100% AND
IS MORE LIKELY 50-70%**

The Ejection Fraction (EF) is the amount of blood pumped out of the left ventricle in one beat. Your doctor or nurse, with other measurements, will use your Ejection Fraction to measure the efficiency of your heart as a pump, in relation to your clinical circumstances.

THE 10 PILLARS TO IMPROVING YOUR HEART AND OVERALL HEALTH FOR THOSE WITH HEART FAILURE WITH PRESERVED EJECTION FRACTION (HFpEF)

Focussing on the 10 pillars of care for Heart Failure with preserved Ejection Fraction

Heart Failure with a Preserved Ejection Fraction

THICKENING of the muscular wall of the main pumping chamber (left ventricle) --> STIFFNESS and SMALLER CAVITY

-->INABILITY TO RELAX well enough to receive blood from the upper chamber (left atrium)

Ejection Fraction (preserved at 50-70%) but above abnormalities lead to breathlessness with or without fluid overload

Common causes include:
Ageing, High Blood Pressure, Diabetes Mellitus, Chronic Kidney Disease, Obesity

Less common causes include:
Deposition of abnormal substances in the walls of the heart (abnormal proteins, iron or lipid breakdown products)



One Step at a Time

We hope that our "Know Your Type Guide" has triggered thoughts around some of the questions you may have. We know this is not a position you want to be in but it's about taking small steps, which is a good thing. You may never have had to deal with something like Heart Failure but if you wish to, self-management can be the key to a better life enabling you to find your new normal again.

If you need help do seek out further advice from your Healthcare Team or visit our website

www.pumpingmarvellous.org

Other 'Marvellous Guides' in the Series

All guides are written by patients and clinically validated for accuracy by leading UK Heart Failure specialists.

Scan me!



**Please scan this
QR code with
your smartphone:**

**Or visit
pumpingmarvellous.org**

If you have any concerns or questions, get in touch with
Pumping Marvellous Foundation.



*Another Mini Toolkit by the Pumping Marvellous Foundation
Crowdsourced information from REAL patients.*

Acknowledgements and thank yous

Dr Rajiv Sankaranarayanan Consultant Cardiologist, Aintree University Hospital, Heart Failure Lead NHS Cheshire and Mersey

Nick Hartshorne-Evans Heart Failure Patient, Founder and CEO of the Pumping Marvellous Foundation

Dr Clare J Taylor MBE PhD FRCGP General Practitioner and NIHR Academic Clinical Lecturer, University of Oxford

Yvonne Millerick Heart Failure Palliative Care Nurse Consultant, NHS Greater Glasgow & Clyde, Glasgow Caledonian University, Scotland

Thank you to Charlie, Thomas and William from Lochinver House School,
whose fundraising has supported the production of this guide.

Contact Us



01772 796542



www.pumpingmarvellous.org



hearts@pumpingmarvellous.org



Search 'Pumping Marvellous'



@pumpinghearts



Search 'Pumping Marvellous Foundation'
for our page



Search 'Help for Hearts' for our support
community group

Can you help us by donating or fundraising?

This resource has been supplied free of charge by the Pumping Marvellous Foundation. We rely on contributions to help us provide this vital service. Thank you!

SCAN HERE TO DONATE



Registered with
**FUNDRAISING
REGULATOR**

